

- Rands, M.R.W. (1985). Pesticide use on cereals and the survival of grey partridge chicks: a field experiment. *Journal of Applied Ecology*, 22: 49-54.
- Sotherton, N.W., Rands, M.R.W. & Moreby, S.J. (1985). Comparison of herbicide treated and untreated headlands for the survival of game and wildlife. In: *1985 Brighton Crop Protection Conference - Weeds Vol. 3*: 991-998. British Crop Protection Council, Farnham.
- Oliver-Bellasis, H.R. & Sotherton, N.W. (1986). The Cereals and Gamebirds Research Project: An independent viewpoint. In: *1986 Brighton Crop Protection Conference - Pests & Diseases*: 1225-1233. British Crop Protection Council, Farnham.
- Rands, M.R.W. (1986). The survival of gamebird (Galliformes) chicks in relation to pesticide use on cereals. *Ibis*, 128: 57-64.
- Rands, M.R.W. & Sotherton, N.W. (1986). Pesticide use on cereal crops and changes in the abundance of butterflies on arable farmland in England. *Biological Conservation*, 36: 71-82.
- Boatman, N.D. (1987). Selective grass weed control in cereal headlands to encourage game and wildlife. In: *1987 Brighton Crop Protection Conference - Weeds Vol. 1*: 277-283. British Crop Protection Council, Farnham.
- Rands, M.R.W. & Sotherton, N.W. (1987). The management of field margins for the conservation of gamebirds. In: Way, J.M. & Greig-Smith, P.W. (eds) *1987 Brighton Crop Protection Conference - Field Margins*: 95-104. BCPC Monograph No. 35, British Crop Protection Council, Farnham.
- Sotherton, N.W. (1987). The Cereals and Gamebirds Research Project 1984-1987. A brief resume. In: *Proceedings and Transactions of the British Entomological and Natural History Society*, 20: 137-139.
- Sotherton, N.W., Moreby, S.J. & Langley, M.G. (1987). The effects of the foliar fungicide pyrazophos on beneficial arthropods in barley fields. *Annals of Applied Biology*, 111: 75-87.
- Sotherton, N.W. & Rands, M.R.W. (1987). Predicting, measuring and minimizing the effects of pesticides on farmland wildlife on intensively managed arable land in Britain. In: Greenhalgh, R. & Roberts, T.R. (eds) *Pesticide Science and Biotechnology - Proceedings Sixth IUPAC (International Union of Pure and Applied Chemistry) Congress of Pesticide Chemistry*: 433-436. Blackwell Scientific Publications, Oxford.
- Sotherton, N.W. & Rands, M.R.W. (1987). The environmental interest of field margins to game and other wildlife: a Game Conservancy view. In: Way, J.M. & Greig-Smith, P.W. (eds) *1987 Brighton Crop Protection Conference - Field Margins*, 35: 67-75. BCPC Monograph No. 35. British Crop Protection Council, Farnham.
- Boatman, N.D. & Sotherton, N.W. (1988). The agronomic consequences and costs of managing field margins for game and wildlife conservation. *Aspects of Applied Biology*, 17: 47-56.

- Boatman, N.D. & Wilson, P.J. (1988). Field edge management for game and wildlife conservation. *Aspects of Applied Biology*, 16: 53-61.
- Sotherton, N.W. (1988). The Cereals and Gamebirds Research Project: Overcoming the indirect effects of pesticides. In: Harding, D.J.L. (ed.) *Britain since Silent Spring. An Update on the Ecological Effects of Agricultural Pesticides in the UK*: 64-72. Symposium proceedings, Cambridge March 1988. Institute of Biology, London.
- Sotherton, N.W., Dover, J.W. & Rands, M.R.W. (1988). The effects of pesticide exclusion strips on faunal populations in Great Britain. *Ecological Bulletins*, 39: 197-199.
- Boatman, N.D. (1989). Selective weed control in field margins. In: *1989 Brighton Crop Protection Conference - Weeds*: 785-794. British Crop Protection Council, Farnham.
- Dover, J.W. (1989). The use of flowers by butterflies foraging in cereal field margins. *Entomologist's Gazette*, 40: 283-291.
- Sotherton, N.W., Boatman, N.D. & Chiverton, P.A. (1989). The selective use of pesticides on cereal crop margins for game and wildlife: the British experience. In: *30th Swedish Plant Protection Conference*, 4: 18-29. Swedish University of Agricultural Sciences, Uppsala.
- Sotherton, N.W., Boatman, N.D. & Rands, M.R.W. (1989). The 'Conservation Headland' experiment in cereal ecosystems. *The Entomologist*, 108: 135-143.
- Wilson, P.J. (1989). The distribution of arable weed seedbanks and the implications for the conservation of endangered species and communities. In: *1989 Brighton Crop Protection Conference - Weeds Volume 3*: 1081-1086. British Crop Protection Council, Farnham.
- Dover, J.W., Sotherton, N.W. & Gobbett, K. (1990). Reduced pesticide inputs on cereal field margins: the effects on butterfly abundance. *Ecological Entomology*, 15: 17-24.
- Sotherton, N.W. & Robertson, P.A. (1990). Indirect impacts of pesticides on the production of wild gamebirds in Britain. In: Church, K.E., Warner, R.E. & Brady, S.J. (eds) *Perdix V: Gray Partridge and Ring-Necked Pheasant Workshop*: 84-102. Kansas Department of Wildlife and Parks, Emporia, Kansas.
- Boatman, N.D. (1991). Selective control of cleavers (*Galium aparine*) in conservation headlands with quinmerac. In: *1991 Brighton Crop Protection Conference - Weeds*, 3: 669-676. British Crop Protection Council, Farnham.
- Chiverton, P.A. & Sotherton, N.W. (1991). The effects on beneficial arthropods of the exclusion of herbicides from cereal crop edges. *Journal of Applied Ecology*, 28: 1027-1039.
- Sotherton, N.W. (1991). Conservation Headlands: a practical combination of intensive cereal farming and conservation. In: Firbank, L.G., Carter, N., Darbyshire, J.F. & Potts, G.R. (eds) *Ecology of Temperate Cereal Fields*: 373-397. British Ecological Society Symposium, Blackwell Scientific Publications, Oxford.

- Thomas, M.B., Wratten, S.D. & Sotherton, N.W. (1991). Creation of "island" habitats in farmland to manipulate populations of beneficial arthropods: predator densities and emigration. *Journal of Applied Ecology*, 28: 906-917.
- Boatman, N.D. (1992). Effects of herbicide use, fungicide use and position in the field on the yield and yield components of spring barley. *Journal of Agricultural Science*, 118: 17-28.
- Boatman, N.D. & Bain, A.B. (1992). Evaluation of quinmerac and fluroxypyr against hedgerow flora and uncommon arable weeds. *Annals of Applied Biology*, 120: 42-43.
- Grundy, A.C., Froud-Williams, R.J. & Boatman, N.D. (1992). The effects of nitrogen rate on weed occurrence in a spring barley crop. *Aspects of Applied Biology*, 30: 377-380.
- Hassall, M., Hawthorne, A.J., Maudsley, M., White, P.J.C. & Cardwell, C. (1992). Effects of headland management on invertebrate communities in cereal fields. *Agriculture, Ecosystems and Environment*, 40: 155-178.
- Rew, L.J., Froud-Williams, R.J. & Boatman, N.D. (1992). Implications of field margin management on the ecology of *Bromus sterilis*. *Aspects of Applied Biology*, 29: 257-263.
- Rew, L.J., Theaker, A.J., Froud-Williams, R.J. & Boatman, N.D. (1992). Nitrogen fertilizer misplacement and field boundaries. *Aspects of Applied Biology*, 30: 203-206.
- Tew, T.E., Macdonald, D.W. & Rands, M.R.W. (1992). Herbicide application affects microhabitat use by arable wood mice (*Apodemus sylvaticus*). *Journal of Applied Ecology*, 29: 532-539.
- Thomas, M.B., Wratten, S.D. & Sotherton, N.W. (1992). Creation of 'island' habitats in farmland to manipulate populations of beneficial arthropods: predator densities and species composition. *Journal of Applied Ecology*, 29: 524-531.
- Boatman, N.D. (1993). Selective control of *Bromus sterilis* in field boundaries with Fluazifop-P-butyl. In: *1993 Brighton Crop Protection Conference - Weeds*: 349-354. British Crop Protection Council, Farnham.
- Tree, J.A. & Boatman, N.D. (1993). The potential for conservation headlands in linseed. In: *1993 Brighton Crop Protection Conference - Weeds*: 355-361. British Crop Protection Council, Farnham.
- Wilson, P.J. (1993). Conserving Britain's cornfield flowers. In: *1993 Brighton Crop Protection Conference - Weeds*: 411-416. British Crop Protection Council, Farnham.
- Boatman, N.D., Rew, L.J., Theaker, A.J. & Froud-Williams, R.J. (1994). The impact of nitrogen fertilisers on field margin flora. In: Boatman, N.D. (ed.) *Field Margins - Integrating Agriculture and Conservation*: 209-214. BCPC Monograph No 58, British Crop Protection Council, Farnham.
- Dover, J.W. (1994). Arable field margins: factors affecting butterfly distribution and abundance. In: Boatman, N.D. (ed.) *Field Margins: Integrating Agriculture and*

*Conservation*: 59-66. BCPC Monograph No 58, British Crop Protection Council, Farnham.

- Grundy, A.C., Froud-Williams, R.J. & Boatman, N.D. (1995). Maternal effects in progeny of field pansy (*Viola arvensis*) subjected to different herbicide and nitrogen rates. *Annals of Applied Biology*, 127: 343-352.
- Rew, L.J., Froud-Williams, R.J. & Boatman, N.D. (1995). The effect of nitrogen, plant density and competition between *Bromus sterilis* and three perennial grasses: the implications for boundary strip management. *Weed Research*, 35: 363-368.
- Theaker, A.J., Boatman, N.D. & Froud-Williams, R.J. (1995). The effect of nitrogen fertiliser on the growth of *Bromus sterilis* in field boundary vegetation. *Agriculture, Ecosystems and Environment*, 53: 185-192.
- Theaker, A.J., Boatman, N.D. & Froud-Williams, R.J. (1995). Variation in *Bromus sterilis* on farmland: evidence for the origin of field infestations. *Journal of Applied Ecology*, 32: 47-55.
- Wilson, P.J. (1995). The potential for herbicide use in the conservation of Britain's arable flora. In: *1995 Brighton Crop Protection Conference - Weeds*: 961-966. British Crop Protection Council, Farnham.
- Champion, G.T., Froud-Williams, R.J. & Holland, J.M. (1996). Effect of previous crop, cultivar, sowing date and nitrogen on weed biomass and species composition. *Aspects of Applied Biology*, 47: 425-428.
- Dover, J.W. (1996). Factors affecting the distribution of satyrid butterflies on arable farmland. *Journal of Applied Ecology*, 33: 723-724.
- Rew, L.J., Froud-Williams, R.J. & Boatman, N.D. (1996). Dispersal of *Bromus sterilis* and *Anthriscus sylvestris* seed within arable field margins. *Agriculture, Ecosystems and Environment*, 59: 107-114.
- Dover, J.W. (1997). Conservation headlands: effects on butterfly distribution and behaviour. *Agriculture, Ecosystems and Environment*, 63: 31-49.
- Dover, J.W., Sparks, T.H. & Greatorex-Davies, J.N. (1997). The importance of shelter for butterflies in open landscapes. *Journal of Insect Conservation*, 1: 89-97.
- Grundy, A.C., Froud-Williams, R.J. & Boatman, N.D. (1997). The control of weeds in cereals using an integrated approach. *Aspects of Applied Biology*, 50: 367-374.
- Longley, M., Çilgi, T., Jepson, P.C. & Sotherton, N.W. (1997). Measurements of pesticide spray drift deposition into field boundaries and hedgerows I. Summer applications. *Environmental Toxicology and Chemistry*, 16: 165-172.
- Longley, M. & Sotherton, N.W. (1997). Factors determining the effects of pesticides upon butterflies inhabiting arable farmland. *Agriculture, Ecosystems and Environment*, 61: 1-12.

- Longley, M. & Sotherton, N.W. (1997). Measurements of pesticide spray drift deposition into field boundaries and hedgerows 2. Autumn applications. *Environmental Toxicology and Chemistry*, 16: 173-178.
- Wilson, P.J. (1997). Conserving the flora of arable field margins - how much does it cost? In: *1997 Brighton Crop Protection Conference - Weeds*: 991-996. British Crop Protection Council, Farnham.
- Boatman, N.D. (1998). The value of buffer zones for the conservation of biodiversity. In: *1998 Brighton Crop Protection Conference - Pests & Diseases*: 939-950. British Crop Protection Council, Brighton.
- Champion, G.T., Froud-Williams, R.J. & Holland, J.M. (1998). The effect of reduced rates of fluroxypyr on the seed size and germination of common field speedwell *Veronica persica*. *Aspects of Applied Biology*, 51: 143-146.
- Champion, G.T., Froud-Williams, R.J. & Holland, J.M. (1998). Interactions between wheat (*Triticum aestivum* L.) cultivar, row spacing and density and the effect on weed suppression and crop yield. *Annals of Applied Biology*, 133: 443-453.
- Boatman, N.D., Bence, S.L. & Jarvis, P.E. (1999). Management and costs of conservation headlands on heavy soil. *Aspects of Applied Biology*, 54: 147-154.